

# Interface Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	36044	optical near3 device.clm.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 18:55
L4	226496	carrier.clm.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 18:55
L5	65474	(dielectric or semiconductor) near substrate.clm.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 18:54
L7	19766	(transmission adj line strip adj line stripline microstrip).clm.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 18:54
L8	21489	(transmission adj line strip adj line stripline microstrip).clm.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 18:54
L9	66116	(dielectric or semiconductor) near substrate.clm.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 18:54
L10	237341	carrier.clm.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 18:55
L11	37454	optical near3 device.clm.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 18:55
L12	0	8 and 9 and 10 and 11 and @pd>"20020925"	US-PGPUB; USPAT	OR	OFF	2005/11/02 18:56
L13	9	8 and 9 and 11 and @pd>"20020925"	US-PGPUB; USPAT	OR	OFF	2005/11/02 18:56

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(US-20020172476-\$ or US-20030001081-\$).did. or (US-4989930-\$ or US-6527454-\$ or US-6560248-\$ or US-6740963-\$). did.	US-PGPUB; USPAT	OR	OFF	2005/04/05 19:05
L1	339	((257/77,81,763,764) or (385/14, 88,91,92)).CCLS. and @pd>"20050719"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 18:05
L2	538	(257/81).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/02 18:05
L3	28	L2 and (metal metallization) and @pd>"20050719"	US-PGPUB; USPAT	OR	ON	2005/11/02 18:08
L4	0	"3611064" and @pd>"20050719"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 18:05
L5	4	dielectric near3 header and @pd>"20050719"	US-PGPUB; USPAT	OR	OFF	2005/11/02 18:14
L6	3	semiconductor near3 header and @pd>"20050719"	US-PGPUB; USPAT	OR	OFF	2005/11/02 18:15
L7	1890	(Electroluminescent solid-state adj lamp light-emitting adj diode light\$1emitting adj diode) and @pd>"20050719"	US-PGPUB; USPAT	OR	OFF	2005/11/02 18:06
L8	232	(dielectric semiconductor) near3 (mount header submount) and @pd>"20050719"	US-PGPUB; USPAT	OR	OFF	2005/11/02 18:06
L9	11	7 and 8	US-PGPUB; USPAT	OR	OFF	2005/11/02 18:17
L10	14	("09283825" or "11233876" or "5371755" or "5646763" or "5771220").did. or (("6678432") or ("6687039") or ("6735353") or ("6823145") or ("6826212") or ("6831767") or ("6831767") or ("20030180054") or ("20040239944") or ("6678479")). PN.	US-PGPUB; USPAT; JPO	OR	OFF	2005/11/02 18:07
L11	0	("5798856" or "5657148" or "5678936") and @pd>"20050719"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/02 18:07

L12	0	gold-plated adj (header substrate mount submount) and (through-hole via) and @pd>"20050719"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 18:08
L13	0	(gold-plated copper-plated nickel-plated silver-plated) adj (header substrate mount submount) and through-hole and @pd>"20050719"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 18:08
L14	40	copper-clad and coaxial adj cable and (IC or chip or die)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 18:27
L15	26	"4695810"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 18:08
L16	1	jp-10275957-\$.did.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 18:27